


EXERCISE 21.3

Question. 1

Solution:

From the question it is given that, the area of the region common to the parabolas $y^2 = 6x$ and $x^2 = 6y$,



Given, $y^2 = 6x$

$$y = \sqrt{6x}$$

and $x^2 = 6y$, then $y = x^2/6$

Then, area of the bounded region $= \int_0^6 \sqrt{6x} - \frac{x^2}{6} dx$

On integrating we get,

$$= \left[\sqrt{6} \frac{x^{3/2}}{3/2} - \frac{x^3}{18} \right]_0^6$$

Now applying limits, we get,

$$= [\sqrt{6} ((6)^{3/2}/(3/2) - (6^3/18) - 0]$$


By simplification we get,

$$= 12 \text{ square units}$$

Question. 2

Solution:

From the question it is given that, the area of the region common to the parabolas $4y^2 = 9x$ and $3x^2 = 16y$,



Given, $4y^2 = 9x$

$$y^2 = 9x/4$$

$$y = \sqrt{9x/4}$$

$$y = (3/2) \sqrt{x}$$

and $3x^2 = 16y$

$$y = 3x^2/16$$

Then, area of the bounded region $= \int_0^4 \left[\frac{3\sqrt{x}}{2} - \frac{3x^2}{16} \right] dx$

On integrating we get,

$$= \left[x^{3/2} - \frac{x^3}{16} \right]_0^4$$

Now applying limits, we get,

$$= [(4)^{3/2} - (4^3/16)]$$

By simplification we get,

$$= [(8) - (64/16)]$$

$$= [8 - 4]$$

$$= 4 \text{ square units}$$

Question. 3

Solution:


From the question it is given that, area of the region bounded by,

$$y = \sqrt{x}$$

$$y^2 = x \quad \dots \text{ [equation (i)]}$$

$$y = x \quad \dots \text{ [equation (ii)]}$$

So, equation (i) represents a parabola with vertex at (0, 0) and x – axis as its axis and equation (ii) represents a line passing through origin and intersecting parabola at (0, 0) and (1, 1), as shown in the rough sketch below,



Now, we have to find the area of AOBPA,

Then, the area can be found by taking a small slice in each region of width Δx ,

And length = $(y_1 - y_2)$

The area of sliced part will be as it is a rectangle = $(y_1 - y_2) \Delta x$

So, this rectangle can move horizontal from $x = 0$ to $x = 1$

The required area of the region bounded between the lines = Region AOBPA

$$= \int_0^1 (y_1 - y_2) dx$$

Given, $y_1 = \sqrt{x}$

$$y_2 = x$$

$$= \int_0^1 (\sqrt{x} - x) dx$$

On integrating we get,

$$= \left[\frac{2}{3} x \sqrt{x} - \frac{x^2}{2} \right]_0^1$$

Now, applying limits we get,

$$\begin{aligned} &= \left[\left(\frac{2}{3} \times 1 \times \sqrt{1} \right) - \left(\frac{1^2}{2} \right) \right] - [0] \\ &= \left[\frac{2}{3} - \frac{1}{2} \right] \\ &= \left[\frac{4 - 3}{6} \right] \\ &= \frac{1}{6} \end{aligned}$$

Therefore, the required area = $\frac{1}{6}$ square units.

Question. 4

Solution:

From the question it is given that, area bounded by the curve $y = 4 - x^2$

And line $y = 0, y = 3$

So, $y = 4 - x^2$


$x^2 = -(y - 4)$... [equation (i)]

$y = 0$... [equation (ii)]

$y = 3$... [equation (iii)]

So, equation (i) represents a parabola with vertex at $(0, 4)$ and passes through $(0, 2), (0, -2)$ x – axis and equation (ii) is x – axis and cutting the parabola at $(2, 0)$ and $(-2, 0)$.

Equation (iii) represents a line parallel to x – axis passing through $(0, 3)$, is as shown in the rough sketch below,



Now, we have to find the area of AOBPA,

Then, the area can be found by taking a small slice in each region of width Δx ,

And length = $(y - 0) = y$

The area of sliced part will be as it is a rectangle = $(y_1 - y_2) \Delta x$

So, this rectangle can move horizontal from $x = 0$ to $x = 2$

The required area of the region bounded between the lines = Region ABDEA
 $= 2$ (region OABCO)
 $= 2 \int_0^2 y dx$

Given, $y = 4 - x^2$
 $= 2 \int_0^2 (4 - x^2) dx$

On integrating we get,

$$= 2 \left(4x - \frac{x^3}{3} \right)_0^2$$

Now, applying limits we get,
 $= 2 [(8 - (8/3)) - 0]$
 $= 2 [(24 - 8)/3]$
 $= 2 [16/3]$
 $= 32/3$

Therefore, the required area $32/3$ square units.

Question. 5

Solution:

From the question it is given that,


$$(x^2/a^2) + (y^2/b^2) = 1$$

... [equation (i)]

$$(x/a) + (y/b) = 1$$

... [equation (ii)]

So, equation (i) represents ellipse with center at origin and passing through $(\pm a, 0)$, $(0, \pm b)$ and equation (ii) represents a line passing through $(a, 0)$ and $(0, b)$, is as shown in the rough sketch below,



Then, from the figure the region shaded is the required region as by substituting $(0, 0)$ in $x^2/a^2 + y^2/b^2 \leq 1$ gives a true statement and by substituting $(0, 0)$ in $1 \leq x/a + y/b$ gives a false statement.

Then, the area can be found by taking a small slice in each region of width Δx ,

And length = $(y - 0) = y$

The area of sliced part will be as it is a rectangle = $(y_1 - y_2) \Delta x$

So, this rectangle can move horizontal from $x = 0$ to $x = a$,

Then required area = $\int_0^a \left[\frac{b}{a} \sqrt{a^2 - x^2} - \frac{b}{a} (a - x) \right] dx$

Now, taking common terms out side we get,

$$= \frac{b}{a} \int_0^a \left[\sqrt{a^2 - x^2} - (a - x) \right] dx$$

On integrating we get,

$$= \frac{b}{a} \left[\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \left(\frac{x}{a} \right) - ax + \frac{x^2}{2} \right]_0^a$$

Applying limits we get,

$$= \frac{b}{a} \left[\left(\frac{a}{2} \sqrt{a^2 - a^2} + \frac{a^2}{2} \sin^{-1} (1) - a^2 + \frac{a^2}{2} \right) - (0 + 0 + 0 + 0) \right]$$

$$= \frac{b}{a} \left[\left(\frac{a^2}{2} \right) \times \left(\frac{\pi}{2} \right) - \left(\frac{a^2}{2} \right) \right]$$

$$= \frac{b}{a} \left(\frac{a^2}{2} \right) \left(\frac{\pi - 2}{2} \right)$$

$$= \frac{ab}{4} (\pi - 2) \text{ square units}$$

Therefore, required area is $\frac{ab}{4} (\pi - 2)$ square units.

