

## EXERCISE

In each of the questions, 1 to 24, write the correct answer from the given four options.

1. 196 is the square of

- (a) 11                      (b) 12                      (c) 14                      (d) 16

**Solution:-**

(c) 14

Square of 196 is,

$$= 14 \times 14 = 196$$

2. Which of the following is a square of an even number?

- (a) 144                      (b) 169                      (c) 441                      (d) 625

**Solution:-**

(a) 144

Square of even number is 144,

$$= 12 \times 12 = 144$$

3. A number ending in 9 will have the units place of its square as

- (a) 3                      (b) 9                      (c) 1                      (d) 6

**Solution:-**

(c) 1

Because, the square of a number having 1 or 9 at the units place ends in 1.

Example: -  $11 \times 11 = 121$

4. Which of the following will have 4 at the units place?

- (a)  $14^2$                       (b)  $62^2$                       (c)  $27^2$                       (d)  $35^2$

**Solution:-**

(b)  $62^2$

Because, the square of a number having 2 or 8 at the units place ends in 4.

$$62 \times 62 = 3844$$

5. How many natural numbers lie between  $5^2$  and  $6^2$ ?

- (a) 9                      (b) 10                      (c) 11                      (d) 12

**Solution:-**

(b) 10

The natural numbers lie between  $5^2$  and  $6^2$  i.e. 25 and 36 are,

26, 27, 28, 29, 30, 31, 32, 33, 34 and 35

6. Which of the following cannot be a perfect square?

- (a) 841                      (b) 529                      (c) 198                      (d) All of the above

Solution:-

- (c) 198

Because, we know that the numbers end with 2, 3, 7 and 8 are not perfect squares.

7. The one's digit of the cube of 23 is

- (a) 6                      (b) 7                      (c) 3                      (d) 9

Solution:-

- (b) 7

The one's digit of cube 23 i.e.  $23 \times 23 \times 23 = 12,167$

So, one's digit is 7

8. A square board has an area of 144 square units. How long is each side of the board?

- (a) 11 units                      (b) 12 units                      (c) 13 units                      (d) 14 units

Solution:-

- (b) 12 units


We know that area of square = Side  $\times$  Side

$$= 12 \times 12$$

$$= 144 \text{ square units}$$

9. Which letter best represents the location of  $\sqrt{25}$  on a number line?

- (a) A                      (b) B                      (c) C                      (d) D



Solution:-

- (c) C

$$\sqrt{25} = 5 \times 5 = 5^2 = 25$$

10. If one member of a Pythagorean triplet is  $2m$ , then the other two members are

- (a)  $m, m^2 + 1$   
(b)  $m^2 + 1, m^2 - 1$   
(c)  $m^2, m^2 - 1$   
(d)  $m^2, m + 1$

Solution:-

- (b)  $m^2 + 1, m^2 - 1$

We know that, for every natural number  $m > 1$ ,  $2m$ ,  $m^2 - 1$  and  $m^2 + 1$  form a Pythagorean triplet.

**11. The sum of successive odd numbers 1, 3, 5, 7, 9, 11, 13 and 15 is**

- (a) 81                      (b) 64                      (c) 49                      (d) 36

**Solution:-**

$$\begin{aligned} & \text{(b) 64} \\ & = 1 + 3 + 5 + 7 + 9 + 11 + 13 + 15 \\ & = 64 \end{aligned}$$

**12. The sum of first  $n$  odd natural numbers is**

- (a)  $2n + 1$                       (b)  $n^2$                       (c)  $n^2 - 1$                       (d)  $n^2 + 1$

**Solution:-**

(b)  $n^2$   
The sum of first  $n$  odd natural numbers is given by  $n^2$ .

**13. Which of the following numbers is a perfect cube?**

- (a) 243                      (b) 216                      (c) 392                      (d) 8640

**Solution:-**

(b) 216  
A perfect cube can always be expressed as the product of triplets of prime factors.  
 $216 = 6 \times 6 \times 6 = 6^3$

**14. The hypotenuse of a right triangle with its legs of lengths  $3x$  and  $4x$  is**

- (a)  $5x$                       (b)  $7x$                       (c)  $16x$                       (d)  $25x$

**Solution:-**

We know that,

Pythagoras theorem =  $a = \sqrt{b^2 + c^2}$

Where 'a' is hypotenuse and b and c are the other two legs of triangle.

Then,

$$\begin{aligned} a &= \sqrt{(3x)^2 + (4x)^2} \\ a &= \sqrt{9x^2 + 16x^2} \\ a &= \sqrt{9x^2 + 16x^2} \\ a &= \sqrt{9x + 16x} \\ a &= \sqrt{25x} \\ a &= 5x \end{aligned}$$

Hence the hypotenuse of the right triangle is  $5x$ .

15. The next two numbers in the number pattern 1, 4, 9, 16, 25 ... are

- (a) 35, 48                      (b) 36, 49                      (c) 36, 48                      (d) 35, 49

Solution:-

(b) 36, 49

The numbers given in the question are perfect square numbers.

$$1^2 = 1, 2^2 = 4, 3^2 = 9, 4^2 = 16, 5^2 = 25$$

$$\text{So, } 6 \times 6 = 36 \text{ and } 7 \times 7 = 49$$

16. Which among  $43^2$ ,  $67^2$ ,  $52^2$ ,  $59^2$  would end with digit 1?

- (a)  $43^2$                       (b)  $67^2$                       (c)  $52^2$                       (d)  $59^2$

Solution:-

(d)  $59^2$

Because, the square of a number having 1 or 9 at the units place ends in 1.

17. A perfect square can never have the following digit in its ones place.

- (a) 1                      (b) 8                      (c) 0                      (d) 6

Solution:-

(b) 8

18. Which of the following numbers is not a perfect cube?

- (a) 216                      (b) 567                      (c) 125                      (d) 343

Solution:-

(b) 567

Because, factors of 216 =  $6 \times 6 \times 6$

$$567 = 9 \times 9 \times 7$$

$$125 = 5 \times 5 \times 5$$

$$343 = 7 \times 7 \times 7$$

19.  $\sqrt[3]{1000}$  is equal to

- (a) 10                      (b) 100                      (c) 1                      (d) none of these

Solution:-

(a) 10

$$= \sqrt[3]{1000}$$

$$= \sqrt[3]{(10 \times 10 \times 10)}$$

$$= \sqrt[3]{(10^3)}$$

$$= 10$$

20. If  $m$  is the square of a natural number  $n$ , then  $n$  is

- (a) the square of  $m$
- (b) greater than  $m$
- (c) equal to  $m$
- (d)  $\sqrt{m}$

Solution:-

(d)  $\sqrt{m}$

$$n^2 = m$$

Then,

$$n = \sqrt{m}$$

21. A perfect square number having  $n$  digits where  $n$  is even will have square root with

- (a)  $n + 1$  digit
- (b)  $n/2$  digit
- (c)  $n/3$  digit
- (d)  $(n + 1)/2$  digit

Solution:-

(b)  $n/2$  digit

22. If  $m$  is the cube root of  $n$ , then  $n$  is

- (a)  $m^3$
- (b)  $\sqrt{m}$
- (c)  $m/3$
- (d)  $3\sqrt{m}$

Solution:-

(a)  $m^3$

Given in the question,

$${}^3\sqrt{n} = m$$

$$n = m^3$$

23. The value of  $\sqrt{248 + \sqrt{52 + \sqrt{144}}}$  is

- (a) 14
- (b) 12
- (c) 16
- (d) 13

Solution:-

(c) 16

$$\sqrt{248 + \sqrt{52 + \sqrt{144}}}$$

$$= \sqrt{248 + \sqrt{52 + 12}}$$

$$= \sqrt{248 + \sqrt{64}}$$

$$= \sqrt{248 + 8}$$

$$= \sqrt{256}$$

$$= 16$$

24. Given that  $\sqrt{4096} = 64$ , the value of  $\sqrt{4096} + \sqrt{40.96}$  is

- (a) 74
- (b) 60.4
- (c) 64.4
- (d) 70.4

**Solution:-**

(d) 70.4

$$\begin{aligned}\sqrt{4096} + \sqrt{40.96} \\ &= 64 + 6.4 \\ &= 70.4\end{aligned}$$

In questions 25 to 48, fill in the blanks to make the statements true.

**25. There are \_\_\_\_\_ perfect squares between 1 and 100.**

**Solution:-**

There are 8 perfect squares between 1 and 100.

$$2 \times 2 = 4$$

$$3 \times 3 = 9$$

$$4 \times 4 = 16$$

$$5 \times 5 = 25$$

$$6 \times 6 = 36$$

$$7 \times 7 = 49$$

$$8 \times 8 = 64$$

$$9 \times 9 = 81$$

**26. There are \_\_\_\_\_ perfect cubes between 1 and 1000.**

**Solution:-**

There are 8 perfect cubes between 1 and 1000.

$$2 \times 2 \times 2 = 8$$

$$3 \times 3 \times 3 = 27$$

$$4 \times 4 \times 4 = 64$$

$$5 \times 5 \times 5 = 125$$

$$6 \times 6 \times 6 = 216$$

$$7 \times 7 \times 7 = 343$$

$$8 \times 8 \times 8 = 512$$

$$9 \times 9 \times 9 = 729$$

**27. The units digit in the square of 1294 is \_\_\_\_\_.**

**Solution:-**

The units digit in the square of 1294 is 6.

We know that, 4 or 6 at the units place ends in 6.

**28. The square of 500 will have \_\_\_\_\_ zeroes.**

**Solution:-**

The square of 500 will have 4 zeroes.

$$500^2 = 500 \times 500 = 250000$$

**29. There are \_\_\_\_\_ natural numbers between  $n^2$  and  $(n + 1)^2$ .**

**Solution:-**

There are  $2n$  natural numbers between  $n^2$  and  $(n + 1)^2$ .

**30. The square root of 24025 will have \_\_\_\_\_ digits. Solution:-**

The square root of 24025 will have 3 digits.

The number given in the question has 5 digits,

i.e.  $n = 5$

Then,

$$= (n + 1)/2$$

$$= (5 + 1)/2$$

$$= 6/2$$

$$= 3$$

**31. The square of 5.5 is \_\_\_\_\_.**

**Solution:-**

The square of 5.5 is 30.25.

$$= 5.5^2 = 5.5 \times 5.5 = 30.25$$

**32. The square root of  $5.3 \times 5.3$  is \_\_\_\_\_.**

**Solution:-**

The square root of  $5.3 \times 5.3$  is 5.3.

$$= \sqrt{5.3 \times 5.3}$$

$$= \sqrt{28.09}$$

$$= 5.3$$

**33. The cube of 100 will have \_\_\_\_\_ zeroes.**

**Solution:-**

The cube of 100 will have 6 zeroes.

$$= 100^3$$

$$= 100 \times 100 \times 100$$

$$= 1000000$$

**34.  $1\text{m}^2 = \underline{\hspace{2cm}}\text{cm}^2$ .**

**Solution:-**

We know that,  $1\text{m} = 100\text{cm}$

Then,

$$1\text{m}^2 = 10000\text{cm}^2$$

**35.  $1\text{m}^3 = \underline{\hspace{2cm}}\text{cm}^3$ .**

**Solution:-**

We know that,  $1\text{m} = 100\text{cm}$

Then,

$$1\text{m}^3 = 1000000\text{cm}^3$$

**36. Ones digit in the cube of 38 is           .**

**Solution:-**

Ones digit in the cube of 38 is 2.

We know that,

$$38 \times 38 \times 38 = 54,872$$

**37. The square of 0.7 is           .**

**Solution:-**

The square of 0.7 is 0.49.

$$= 0.7^2$$

$$= 0.7 \times 0.7$$

$$= 0.49$$

**38. The sum of first six odd natural numbers is           .**

**Solution:-**

The sum of first six odd natural numbers is 36.

The first six odd numbers are 1, 3, 5, 7, 9, and 11

Then,

$$\begin{aligned}\text{Sum of first six odd numbers} &= 1 + 3 + 5 + 7 + 9 + 11 \\ &= 36\end{aligned}$$

**39. The digit at the ones place of  $57^2$  is           .**

**Solution:-**

The digit at the ones place of  $57^2$  is 9.

We know that, 3 or 7 at the units place ends in 9.

$$\begin{aligned} &= 57^2 \\ &= 57 \times 57 \\ &= 3249 \end{aligned}$$

40. The sides of a right triangle whose hypotenuse is 17cm are \_\_\_\_\_ and \_\_\_\_\_.

**Solution:-**

For every natural number  $m > 1$ ,  $2m$ ,  $m^2 - 1$  and  $m^2 + 1$  form a Pythagorean triplet.

Now,

$$m^2 + 1 = (2m)^2 + (m^2 - 1)^2$$

Where,

$$m^2 + 1 = 17$$

$$m^2 = 17 - 1$$

$$m^2 = 16$$

$$m = \sqrt{16}$$

$$m = 4$$

Then,

$$2m = 2 \times 4$$

$$= 8$$

And,

$$m^2 - 1 = 4^2 - 1$$

$$= 16 - 1$$

$$= 15$$

41.  $\sqrt{1.96} =$  \_\_\_\_\_.

**Solution:-**

We have,

$$= \sqrt{1.96}$$

$$= \sqrt{196/100}$$

$$= \sqrt{(14 \times 14)/(10 \times 10)}$$

$$= \sqrt{14^2 / 10^2}$$

$$= 14/10$$

$$= 1.4$$

42.  $(1.2)^3 =$  \_\_\_\_\_.

**Solution:-**

$$(1.2)^3 = 12/10$$

$$\begin{aligned} &= (12/10) \times (12/10) \times (12/10) \\ &= 1728/1000 \\ &= 1.728 \end{aligned}$$

**43. The cube of an odd number is always an \_\_\_\_\_ number.**

**Solution:-**

The cube of an odd number is always an odd.

**44. The cube root of a number x is denoted by \_\_\_\_\_.**

**Solution:-**

The cube root of a number x is denoted by  $\sqrt[3]{x}$  or  $x^{1/3}$

**45. The least number by which 125 be multiplied to make it a perfect square is \_\_\_\_\_.**

**Solution:-**

The least number by which 125 be multiplied to make it a perfect square is 5.

$$125 = \underline{5} \times \underline{5} \times 5$$

**46. The least number by which 72 be multiplied to make it a perfect cube is \_\_\_\_\_.**

**Solution:-**

The least number by which 72 be multiplied to make it a perfect cube is 3.

$$72 = 2 \times 2 \times 2 \times 3 \times 3$$

**47. The least number by which 72 be divided to make it a perfect cube is \_\_\_\_\_.**

**Solution:-**

The least number by which 72 be divided to make it a perfect cube is 9.

**48. Cube of a number ending in 7 will end in the digit \_\_\_\_\_.**

**Solution:-**

Cube of a number ending in 7 will end in the digit 3.

**In questions 49 to 86, state whether the statements are true (T) or false (F).**

**49. The square of 86 will have 6 at the units place.**

**Solution:-**

True.

The square of a number having 4 or 6 at the units place ends in 6.

**50. The sum of two perfect squares is a perfect square.**

**Solution:-**

False.

Let us take two perfect square 25 and 49.

Then, sum of the two perfect square =  $25 + 49 = 74$

So, 74 is not perfect square.

**51. The product of two perfect squares is a perfect square.**

**Solution:-**

True.

Let us take two perfect square 4 and 9.

Then, product of two perfect square is =  $4 \times 9 = 36$

**52. There is no square number between 50 and 60.**

**Solution:-**

True.

**53. The square root of 1521 is 31.**

**Solution:-**

False.

The square root of 1521 is 39.

**54. Each prime factor appears 3 times in its cube.**

**Solution:-**

True.

We know that, a perfect cube can always be expressed as the product of triplets of prime factors.

**55. The square of 2.8 is 78.4.**

**Solution:-**

False.

$$= 2.8^2$$

$$= (28/10)^2$$

$$= 784/100$$

$$= 7.84$$

**56. The cube of 0.4 is 0.064.**

**Solution:-**

True.

$$\begin{aligned} &= 0.4^3 \\ &= (4/10)^3 \\ &= 64/1000 \\ &= 0.064 \end{aligned}$$

**57. The square root of 0.9 is 0.3.**

**Solution:-**

False.

$$\begin{aligned} &= \sqrt{0.9} \\ &= 0.9487 \end{aligned}$$

$$\begin{aligned} 0.9 &= 0.3^2 \\ &= 0.3 \times 0.3 \\ &= 0.09 \end{aligned}$$

**58. The square of every natural number is always greater than the number itself.**

**Solution:-**

False.

As 1 is a natural number and the square of 1 is not greater itself rather its equal to the number itself.

Thus, the given statement is not always true.

**59. The cube root of 8000 is 200.**

**Solution:-**

False

$${}^3\sqrt{8000} = 20$$

**60. There are five perfect cubes between 1 and 100.**

**Solution:-**

False.

There are only 3 perfect cubes between 1 and 100. 2

$$2 \times 2 \times 2 = 8$$

$$3 \times 3 \times 3 = 27$$

$$4 \times 4 \times 4 = 64$$

**61. There are 200 natural numbers between  $100^2$  and  $101^2$ .**

**Solution:-**

True.

We know that, natural numbers between a and b =  $b - a - 1$

$$\begin{aligned} &= 101^2 - 100^2 - 1 \\ &= (101 + 100)(101 - 100) - 1 \\ &= 201 - 1 \\ &= 200 \end{aligned}$$

**62. The sum of first n odd natural numbers is  $n^2$ .**

**Solution:-**

True.

$$\begin{aligned} \text{The sum of odd numbers} &= \sum (2n - 1) \\ &= (2 \times n \times (n + 1))/2 - n \\ &= n^2 + n - n \\ &= n^2 \end{aligned}$$

**63. 1000 is a perfect square.**

**Solution:-**

False.

It is not a perfect square.

1000 is a perfect cube, i.e.  $10 \times 10 \times 10 = 1000$

**64. A perfect square can have 8 as its unit's digit.**

**Solution:-**

False.

A perfect square can never have 8 as its unit's digit.

**65. For every natural number m,  $(2m - 1, 2m^2 - 2m, 2m^2 - 2m + 1)$  is a Pythagorean triplet.**

**Solution:-**


False.

For every natural number  $m > 1$ ,  $2m$ ,  $m^2 - 1$  and  $m^2 + 1$  form a Pythagorean triplet.

**66. All numbers of a Pythagorean triplet are odd.**

**Solution:-**

False.



Three natural numbers  $a, b, c$  are said to form a Pythagorean triplet if  $a^2 + b^2 = c^2$ .  
Then,  
Pythagorean triplet as,  $7^2 = 6^2 + 5^2$   
6 is not an odd number.

**67. For an integer  $a$ ,  $a^3$  is always greater than  $a^2$ .**

**Solution:-**

False.

Let us take one negative integer, i.e.  $-2$

Then,  $-2^3 = -2 \times -2 \times -2 = -8$

$$-2^2 = -2 \times -2 = 4$$

Here,  $4 > -8$

Hence,  $-2^2$  is greater than  $-2^3$ .

**68. If  $x$  and  $y$  are integers such that  $x^2 > y^2$ , then  $x^3 > y^3$ .**

**Solution:-**

False.

Let us take negative integers  $-2$  and  $-3$

Then,

$$= (-2^2) > (-1^2)$$

$$= (4) > (1)$$

and  $= -2^3 < -1^3$

$$= -8 < -1$$

**69. Let  $x$  and  $y$  be natural numbers. If  $x$  divides  $y$ , then  $x^3$  divides  $y^3$ .**

**Solution:-**

True.

If  $x$  divides  $y = y/x$  is a natural number

and then  $x^3$  divides  $y^3 = y^3/x^3$  is a natural number

**70. If  $a^2$  ends in 5, then  $a^3$  ends in 25.**

**Solution:-**

False.

Let  $a^2$  be  $15^2$

So,  $15^2 = 225$

Then,  $15^3 = 3375$

**71. If  $a^2$  ends in 9, then  $a^3$  ends in 7.**

**Solution:-**

False.

Let  $a^2$  be  $7^2$

So,  $7^2 = 49$

Then,  $7^3 = 343$

**72. The square root of a perfect square of  $n$  digits will have  $(n + 1)/2$  digits, if  $n$  is odd.**

**Solution:-**

True.

Let us assume the perfect square has 9 digits, then its square root has 5 digits

i.e.  $(9 + 1)/2 = 10/2 = 5$

**73. Square root of a number  $x$  is denoted by  $\sqrt{x}$ .**

**Solution:-**

True.

**74. A number having 7 at its ones place will have 3 at the units place of its square.**

**Solution:-**

False.

Let us take the number having 7 at its ones place i.e. 47 and

Its square  $47^2 = 2209$

**75. A number having 7 at its ones place will have 3 at the ones place of its cube.**

**Solution:-**

True.

Let us take the number having 7 at its ones place i.e. 37 and

Its square  $37^3 = 50,653$

Another number is  $27^3 = 19,683$

**76. The cube of a one digit number cannot be a two digit number.**

**Solution:-**

False.

The cube of 3 i.e.  $4^3 = 4 \times 4 \times 4 = 64$

**77. Cube of an even number is odd.**

**Solution:-**

False.

The cube of an even number is always an even number.

$$2^3 = 8$$

$$4^3 = 64$$

**78. Cube of an odd number is even.**

**Solution:-**

False.

The cube of odd number is always an odd number.

$$3^3 = 27$$

$$5^3 = 125$$

**79. Cube of an even number is even.**

**Solution:-**

True.

The cube of an even number is always an even number.

$$8^3 = 512$$

$$12^3 = 1728$$

**80. Cube of an odd number is odd.**

**Solution:-**

True.

The cube of odd number is always an odd number.

$$7^3 = 343$$

**81. 999 is a perfect cube.**

**Solution:-**

False.

**82.  $363 \times 81$  is a perfect cube.**

**Solution:-**

False.

$$\begin{aligned} \text{So, factors of } 363 \times 81 & \text{ are } 3 \times 11 \times 11 \times 3 \times 3 \times 3 \times 3 \\ & = 3^3 \times 11 \times 11 \times 3 \times 3 \end{aligned}$$

**83. Cube roots of 8 are +2 and -2.**

**Solution:-**

False.

Because, cube root of 8 is 2 only.

$$\text{i.e. } 2 \times 2 \times 2 = 8$$

$$84. \sqrt[3]{8 + 27} = \sqrt[3]{8} + \sqrt[3]{27}.$$

**Solution:-**

False.

$$\begin{aligned} \text{Let us consider LHS} &= \sqrt[3]{8 + 27} \\ &= \sqrt[3]{35} \end{aligned}$$

$$\begin{aligned} \text{Then, RHS} &= \sqrt[3]{8} + \sqrt[3]{27} \\ &= 2 + 3 \\ &= 5 \end{aligned}$$

By comparing LHS and RHS

$$\text{LHS} \neq \text{RHS}$$

$$\sqrt[3]{35} \neq 5$$

85. There is no cube root of a negative integer.

**Solution:-**

False.

Let us take -27

$$\begin{aligned} \text{Cube root of -27 i.e. } \sqrt[3]{-27} &= \sqrt[3]{(-3) \times (-3) \times (-3)} \\ &= -3 \end{aligned}$$

86. Square of a number is positive, so the cube of that number will also be positive.

**Solution:-**

False.

Let us take -3

$$\text{Now, square of the -3 i.e. } -3^2 = 9$$

$$\text{Then, cube of the same number i.e. } -3^3 = -27$$

**Solve the following questions.**

87. Write the first five square numbers.

**Solution:-**

The first five square numbers are,

$$1 \times 1 = 1$$

$$2 \times 2 = 4$$

$$3 \times 3 = 9$$

$$4 \times 4 = 16$$

$$5 \times 5 = 25$$

**88. Write cubes of first three multiples of 3.**

**Solution:-**

The first three multiple of 3 are 3, 6 and 9

Then,

Cubes of first three multiples of 3,

$$= 3^3 = 3 \times 3 \times 3 = 27$$

$$= 6^3 = 6 \times 6 \times 6 = 216$$

$$= 9^3 = 9 \times 9 \times 9 = 729$$

**89. Show that 500 is not a perfect square.**

**Solution:-**

Factors of 500 are  $2 \times 2 \times 5 \times 5 \times 5$

Now,

Group the factors into pairs,

$$500 = (2 \times 2) \times (5 \times 5 \times 5)$$

$$= 2^2 \times 5^3$$

So, the prime factors 2 and 5 do not occur in pairs.

Therefore, 500 is not a perfect square.

**90. Express 81 as the sum of first nine consecutive odd numbers.**

**Solution:-**

The first nine consecutive odd numbers are 1, 3, 5, 7, 9, 11, 13, 15 and 17

Then,

We know that 81 is a perfect square,

$$81 = (9)^2$$

Now,

The sum of first nine consecutive odd numbers,

$$= 1 + 3 + 5 + 7 + 9 + 11 + 13 + 15 + 17$$

$$= 81$$

**91. Using prime factorisation, find which of the following are perfect squares.**

**(a) 128**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l}
 2 & 484 \\
 \hline
 2 & 242 \\
 \hline
 11 & 121 \\
 \hline
 11 & 11 \\
 \hline
 & 1
 \end{array}$$

So, prime factors of 484 =  $2 \times 2 \times 11 \times 11$

Now, grouping the prime factors =  $(2 \times 2) \times (11 \times 11)$   
 $= 2^2 \times 11^2$

There is no unpaired factor remains here.

$\therefore$  484 is a perfect square.

**(b) 11250**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l}
 2 & 11250 \\
 \hline
 3 & 5625 \\
 \hline
 3 & 1875 \\
 \hline
 5 & 625 \\
 \hline
 5 & 125 \\
 \hline
 5 & 25 \\
 \hline
 5 & 5 \\
 \hline
 & 1
 \end{array}$$

So, prime factors of 11250 =  $2 \times 3 \times 3 \times 5 \times 5 \times 5 \times 5$

Now, grouping the prime factors =  $2 \times (3 \times 3) \times (5 \times 5) \times (5 \times 5)$   
 $= 2 \times 3^2 \times 5^2 \times 5^2$

Factor 2 has no pair.

$\therefore$  11250 is not a perfect square.

**(c) 841**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l}
 29 & 841 \\
 \hline
 29 & 29 \\
 \hline
 & 1
 \end{array}$$

So, prime factors of 841 =  $29 \times 29$

Now, grouping the prime factors =  $(29 \times 29)$   
 $= 29^2$

There is no unpaired factor remains here.

$\therefore$  841 is a perfect square.

**(d) 729**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r}
 3 \overline{)729} \\
 \underline{3 \ 243} \\
 3 \ 81 \\
 \underline{3 \ 27} \\
 3 \ 9 \\
 \underline{3 \ 3} \\
 1
 \end{array}$$

So, prime factors of 729 =  $3 \times 3 \times 3 \times 3 \times 3 \times 3$

Now, grouping the prime factors =  $(3 \times 3) \times (3 \times 3) \times (3 \times 3)$   
 $= 3^2 \times 3^2 \times 3^2$

There is no unpaired factor remains here.

∴ 729 is a perfect square.

**92. Using prime factorisation, find which of the following are perfect cubes.**

**(a) 128**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r}
 2 \overline{)128} \\
 \underline{2 \ 64} \\
 2 \ 32 \\
 \underline{2 \ 16} \\
 2 \ 8 \\
 \underline{2 \ 4} \\
 2 \ 2 \\
 \underline{2 \ 2} \\
 1
 \end{array}$$

So, prime factors of 128 =  $2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

Now, grouping the prime factors =  $(2 \times 2 \times 2) \times (2 \times 2 \times 2) \times 2$   
 $= 2^3 \times 2^3 \times 2$

Factor 2 remains unpaired after grouping in triplets.

∴ 128 is not a perfect cube.

**(b) 343**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l} 7 & 343 \\ \hline 7 & 49 \\ \hline 7 & 7 \\ \hline & 1 \end{array}$$

So, prime factors of 343 =  $7 \times 7 \times 7$

Now, grouping the prime factors =  $(7 \times 7 \times 7)$   
 $= 7^3$

There is no unpaired factor remains here.

$\therefore$  343 is a perfect cube.

**(c) 729**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l} 3 & 729 \\ \hline 3 & 243 \\ \hline 3 & 81 \\ \hline 3 & 27 \\ \hline 3 & 9 \\ \hline 3 & 3 \\ \hline & 1 \end{array}$$

So, prime factors of 729 =  $3 \times 3 \times 3 \times 3 \times 3 \times 3$

Now, grouping the prime factors =  $(3 \times 3 \times 3) \times (3 \times 3 \times 3)$   
 $= 3^3 \times 3^3$

There is no unpaired factor remains here.

$\therefore$  729 is a perfect cube.

**(d) 1331**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l} 11 & 1331 \\ \hline 11 & 121 \\ \hline 11 & 11 \\ \hline & 1 \end{array}$$

So, prime factors of 1331 =  $11 \times 11 \times 11$

Now, grouping the prime factors =  $(11 \times 11 \times 11)$   
 $= 11^3$

There is no unpaired factor remains here.

$\therefore$  1331 is a perfect cube.

**93. Using distributive law, find the squares of**

**(a)101**

**Solution:-**

By using distributive law,

We have,

$$101 = 100 + 1$$

So,

$$\begin{aligned}101^2 &= (100 + 1)^2 \\ &= (100 + 1) (100 + 1) \\ &= 100 (100 + 1) + 1 (100 + 1) \\ &= ((100 \times 100) + (100 \times 1)) + ((1 \times 100) + (1 \times 1)) \\ &= 10000 + 100 + 100 + 1 \\ &= 10201\end{aligned}$$

∴ The square of the given number i.e.  $101^2 = 10201$

**(b) 72**

**Solution:-**

By using distributive law,

We have,

$$72 = 70 + 2$$

So,

$$\begin{aligned}72^2 &= (70 + 2)^2 \\ &= (70 + 2) (70 + 2) \\ &= 70 (70 + 2) + 2 (70 + 2) \\ &= ((70 \times 70) + (70 \times 2)) + ((2 \times 70) + (2 \times 2)) \\ &= 4900 + 140 + 140 + 4 \\ &= 5184\end{aligned}$$

∴ The square of the given number i.e.  $72^2 = 5184$

**94. Can a right triangle with sides 6cm, 10cm and 8cm be formed? Give reason.**

**Solution:-**

From the question it is given that,

Sides of the right angle triangle are 6 cm, 10 cm and 8 cm

We know that, the square one side must be equal to the sum of square of other two sides of right angle triangle.

$$\text{i.e. } a^2 = b^2 + c^2$$

Where,  $a = 10$  cm,  $b = 8$  cm,  $c = 6$  cm

$$10^2 = 8^2 + 6^2$$

$$100 = 64 + 36$$

$$100 = 100$$

∴ Right angle triangle is formed by the given sides 6cm, 10cm and 8cm.

**95. Write the Pythagorean triplet whose one of the numbers is 4.**

**Solution:-**

Given, one of the number in the Pythagorean triplet i.e. 4.

Then,

$$2m = 4$$

$$m = 4/2$$

$$m = 2$$

So,

$$= m^2 + 1$$

$$= 2^2 + 1$$

$$= 4 + 1$$

$$= 5$$

And,

$$= m^2 - 1$$

$$= 2^2 - 1$$

$$= 4 - 1$$

$$= 3$$

∴ The Pythagorean triplet is 3, 4 and 5.

**96. Using prime factorisation, find the square roots of**

**(a) 11025**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r}
 3 \overline{) 11025} \\
 \underline{3 \ 3675} \phantom{0} \\
 5 \ 1225 \phantom{0} \\
 \underline{5 \ 249} \phantom{0} \\
 7 \ 49 \phantom{0} \\
 \underline{7 \ 7} \phantom{0} \\
 1
 \end{array}$$

So, prime factors of 11025 =  $3 \times 3 \times 5 \times 5 \times 7 \times 7$

Now, grouping the prime factors =  $(3 \times 3) \times (5 \times 5) \times (7 \times 7)$

Then, Square root of 11025 =  $\sqrt{11025}$

$$\begin{aligned}
 &= \sqrt{(3 \times 3) \times (5 \times 5) \times (7 \times 7)} \\
 &= \sqrt{3^2 \times 5^2 \times 7^2} \\
 &= 3 \times 5 \times 7 \\
 &= 105
 \end{aligned}$$

∴ The Square root of 11025 is 105.

**(b) 4761**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l}
 3 & 4761 \\
 \hline
 3 & 1587 \\
 \hline
 23 & 529 \\
 \hline
 23 & 23 \\
 \hline
 & 1
 \end{array}$$

So, prime factors of 4761 =  $3 \times 3 \times 23 \times 23$

Now, grouping the prime factors =  $(3 \times 3) \times (23 \times 23)$

Then, Square root of 4761 =  $\sqrt{4761}$

$$\begin{aligned}
 &= \sqrt{(3 \times 3) \times (23 \times 23)} \\
 &= \sqrt{3^2 \times 23^2} \\
 &= 3 \times 23 \\
 &= 69
 \end{aligned}$$

∴ The Square root of 4761 is 69.

**97. Using prime factorisation, find the cube roots of**

**(a) 512**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l}
 2 & 512 \\
 \hline
 2 & 256 \\
 \hline
 2 & 128 \\
 \hline
 2 & 64 \\
 \hline
 2 & 32 \\
 \hline
 2 & 16 \\
 \hline
 2 & 8 \\
 \hline
 2 & 4 \\
 \hline
 2 & 2 \\
 \hline
 & 1
 \end{array}$$

So, prime factors of 512 =  $2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$

Now, grouping the prime factors =  $(2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (2 \times 2 \times 2)$

Then, cube root of 512 =  $\sqrt[3]{512}$

$$\begin{aligned} &= \sqrt[3]{((2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (2 \times 2 \times 2))} \\ &= \sqrt[3]{(2^3 \times 2^3 \times 2^3)} \\ &= 2 \times 2 \times 2 \\ &= 8 \end{aligned}$$

∴ The cube root of 512 is 8.

**(b) 2197**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l} 13 & 2197 \\ \hline 13 & 169 \\ \hline 13 & 13 \\ \hline & 1 \end{array}$$

So, prime factors of 2197 =  $13 \times 13 \times 13$

Now, grouping the prime factors =  $(13 \times 13 \times 13)$

Then, cube root of 2197 =  $\sqrt[3]{2197}$

$$\begin{aligned} &= \sqrt[3]{(13 \times 13 \times 13)} \\ &= \sqrt[3]{(13^3)} \\ &= 13 \end{aligned}$$

∴ The cube root of 2197 is 13.

**98. Is 176 a perfect square? If not, find the smallest number by which it should be multiplied to get a perfect square.**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

$$\begin{array}{r|l} 2 & 176 \\ \hline 2 & 88 \\ \hline 2 & 44 \\ \hline 2 & 22 \\ \hline 11 & 11 \\ \hline & 1 \end{array}$$

So, prime factors of 176 =  $2 \times 2 \times 2 \times 2 \times 11$

Now, grouping the prime factors =  $(2 \times 2) \times (2 \times 2) \times (11)$   
 $= 2^2 \times 2^2 \times 11$

Factor 11 has no pair.

∴176 is not a perfect square.

The smallest number it should be multiplied to get a perfect square is 11.

Then,

$$176 \times 11 = 1936$$

Factors of 1936 =  $2 \times 2 \times 2 \times 2 \times 11 \times 11$

$$= \sqrt{1936}$$

$$= \sqrt{(2^2 \times 2^2 \times 11^2)}$$

$$= 2 \times 2 \times 11$$

$$= 44$$

∴Square root of 1936 is 44.

**99. Is 9720 a perfect cube? If not, find the smallest number by which it should be divided to get a perfect cube.**

**Solution:-**

First we have to find out the factors by using prime factorisation method.

2	9720
2	4860
2	2430
3	1215
3	405
3	135
3	45
3	15
5	5
	1

**Myclass24**  
Your Class. Your Pace.

So, prime factors of 9720 =  $2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3 \times 5$

Now, grouping the prime factors =  $(2 \times 2 \times 2) \times (3 \times 3 \times 3) \times 3 \times 3 \times 5$   
 $= 2^3 \times 3^3 \times 3 \times 3 \times 5$

Factors 3 and 4 has no pair.

∴9720 is not a perfect cube.

The smallest number it should be divided to get a perfect cube is  $3 \times 3 \times 5 = 45$ .

Then,

$$= 9720 \div 45$$

$$= 216$$

Factors of 216 =  $(2 \times 2 \times 2) \times (3 \times 3 \times 3)$

$${}^3\sqrt{216} = {}^3\sqrt{((2 \times 2 \times 2) \times (3 \times 3 \times 3))}$$

$$= {}^3\sqrt{(2^3 \times 3^3)}$$

$$= 6$$

**100. Write two Pythagorean triplets each having one of the numbers as 5.**

**Solution:-**

Given, one of the number in the Pythagorean triplet i.e. 5.

$$= m^2 + 1 = 5$$

$$= m^2 = 4$$

$$= m = 2$$

Then,

$$2m = 2 \times 2$$

$$m = 4$$

So,

And,

$$= m^2 - 1$$

$$= 2^2 - 1$$

$$= 4 - 1$$

$$= 3$$

∴ The Pythagorean triplet is 3, 4 and 5.

Similarly,

The other Pythagorean triplet is 5, 12 and 13.

**101. By what smallest number should 216 be divided so that the quotient is a perfect square. Also find the square root of the quotient.**

**Solution:-**

$$\begin{array}{r}
 2 \overline{) 216} \\
 \underline{2 \ 108} \\
 2 \ 54 \\
 \underline{2 \ 54} \\
 3 \ 27 \\
 \underline{3 \ 27} \\
 3 \ 9 \\
 \underline{3 \ 9} \\
 3 \ 3 \\
 \underline{3 \ 3} \\
 1
 \end{array}$$

Factors of 216 =  $2 \times 2 \times 2 \times 3 \times 3 \times 3$

Now, grouping the prime factors =  $(2 \times 2) \times 2 \times (3 \times 3) \times 3$

Factors 2 and 3 has no pair.

∴ 216 is not a perfect square.

The smallest number it should be divided to get a perfect square is  $3 \times 2 = 6$ .

Then,

$$= 216 \div 6$$

$$= 36$$

Factors of 36 =  $6 \times 6$

$$\sqrt{36} = \sqrt{(6 \times 6)}$$

$$= \sqrt{6}$$

$$= 6$$

$\therefore$  36 is a perfect square and 6 is the square root of 36.

**102. By what smallest number should 3600 be multiplied so that the quotient is a perfect cube. Also find the cube root of the quotient.**

**Solution:-**

$$\begin{array}{r} 2 \overline{) 3600} \\ \underline{2 \ 1800} \\ 2 \ 900 \\ \underline{2 \ 450} \\ 3 \ 225 \\ \underline{3 \ 75} \\ 5 \ 25 \\ \underline{5 \ 5} \\ 1 \end{array}$$

Factors of 3600 =  $2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 5 \times 5$

Now, grouping the prime factors =  $(2 \times 2 \times 2) \times 2 \times 3 \times 3 \times 5 \times 5$

Factors 2, 3 and 5 has no pair.

$\therefore$  3600 is not a perfect cube.

The smallest number it should be multiplied to get a perfect cube is  $2 \times 2 \times 3 \times 5 = 60$

Then,

$$\text{Product} = 3600 \times 60 = 216000$$

Factors of 21600 =  $2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 5 \times 5 \times 5$

$$= \sqrt[3]{216000}$$

$$= \sqrt[3]{(2^3 \times 2^3 \times 3^3 \times 5^3)}$$

$$= 2 \times 2 \times 3 \times 5$$

$$= 60$$

**103. Find the square root of the following by long division method.**

**(a) 1369**

**Solution:-**

We have,

$$\begin{array}{r}
 37 \\
 3 \overline{) 1369} \\
 \underline{9} \phantom{00} \\
 469 \\
 \underline{469} \\
 0
 \end{array}$$

$\therefore \sqrt{1369} = 37$

**(b) 5625**

**Solution:-**

We have,

$$\begin{array}{r}
 75 \\
 7 \overline{) 5625} \\
 \underline{49} \phantom{00} \\
 145 \phantom{00} \\
 \underline{145} \phantom{00} \\
 0
 \end{array}$$

$\therefore \sqrt{5625} = 75$



**104. Find the square root of the following by long division method.**

**(a) 27.04**

**Solution:-**

We have,

$$\begin{array}{r}
 5.2 \\
 5 \overline{) 27.04} \\
 \underline{25} \phantom{00} \\
 102 \phantom{00} \\
 \underline{102} \phantom{00} \\
 0
 \end{array}$$

$\therefore \sqrt{27.04} = 5.2$

**(b) 1.44**

**Solution:-**


We have,

$$\begin{array}{r} 1 \ .2 \\ 1 \overline{) 1 \ .44} \\ \underline{1 \quad \quad} \\ 22 \quad 44 \\ \underline{22 \quad 44} \\ 0 \end{array}$$

$$\therefore \sqrt{1.44} = 1.2$$

**105. What is the least number that should be subtracted from 1385 to get a perfect square? Also find the square root of the perfect square.**

**Solution:-**



$$\begin{array}{r} 3 \ 7 \\ 3 \overline{) 13 \ 85} \\ \underline{9 \quad \quad} \\ 67 \ 4 \ 85 \\ \underline{67 \ 4 \ 69} \\ 16 \end{array}$$

**Myclass24**  
Your Class. Your Pace.

From the long division method, the least number that should be subtracted from 1385 to get a perfect square is 16.

Now,

$$= 1385 - 16$$

$$= 1369$$

So,

$$\sqrt{1369} = \sqrt{(37 \times 37)}$$

$$= \sqrt{37^2}$$

$$= 37$$

$\therefore$  The square root of a perfect square number 1369 is 37.

**106. What is the least number that should be added to 6200 to make it a perfect square?**

**Solution:-**



$$\begin{array}{r}
 31 \\
 3 \overline{) 999} \\
 \underline{9} \phantom{0} \\
 99 \\
 \underline{61} \\
 38
 \end{array}$$

∴ The greatest number of three digits that is a perfect square =  $999 - 38$   
 $= 961$

**109. Find the least square number which is exactly divisible by 3, 4, 5, 6 and 8.**

**Solution:-**

First we have to find out the LCM of 3, 4, 5, 6 and 8

$$\begin{array}{l}
 2 \overline{) 3, 4, 5, 6, 8} \\
 2 \overline{) 3, 2, 5, 3, 4} \\
 2 \overline{) 3, 1, 5, 3, 2} \\
 3 \overline{) 3, 1, 5, 3, 1} \\
 5 \overline{) 1, 1, 5, 1, 1} \\
 1, 1, 1, 1, 1
 \end{array}$$

So, LCM of 3, 4, 5, 6 and 8 =  $2 \times 2 \times 2 \times 3 \times 5$   
 $= 120$

Now, grouping the factors,  $(2 \times 2) \times 2 \times 3 \times 5$

i.e. 2, 3 and 5 is not able to make their pair.

So, to make it perfect square, 120 must be multiplied with  $2 \times 3 \times 5 = 30$

Then,

$$= 120 \times 30 = 3600$$

∴ 3600 is least square number which is exactly divisible by 3, 4, 5, 6, and 8.

**110. Find the length of the side of a square if the length of its diagonal is 10cm.**

**Solution:-**

From the question it is given that,

Length of Diagonal = 10 cm


Let us assume square ABCD.

Sides  $AB = y$ ,  $BC = y$ ,  $CD = y$ ,  $DA = y$

Diagonal  $AC = 10$  cm

Now, consider triangle ABC

By the rule of Pythagoras theorem,



$$AC^2 = AB^2 + BC^2$$

$$10^2 = y^2 + y^2$$

$$100 = 2y^2$$

$$y^2 = 100/2$$

$$y^2 = 50$$

$$y = \sqrt{50} \text{ cm}$$

$$y = 5\sqrt{2} \text{ cm}$$

∴ The length of the side of square is  $\sqrt{50}$  cm or  $5\sqrt{2}$ .

**111. A decimal number is multiplied by itself. If the product is 51.84, find the number.**

**Solution:-**

Let us assume decimal number be 'a'.

We know that,  $a \times a = a^2$

So,

$$a \times a = 51.84$$

$$a^2 = 51.84$$

$$a = \sqrt{51.84}$$

The required number is found out by using long division method.

$$\begin{array}{r}
 7 \ . 2 \\
 \hline
 7 \overline{) 51 \ . 84} \\
 \underline{49} \phantom{00} \\
 2 \ 84 \\
 \underline{2 \ 84} \\
 0
 \end{array}$$

Then,

$$a = \sqrt{51.84}$$

$$a = 7.2$$

∴ 7.2 is the decimal number is multiplied by itself and its product is 51.84.

**112. Find the decimal fraction which when multiplied by itself gives 84.64.**

**Solution:-**

Let us assume decimal fraction be 'a'.

We know that,  $a \times a = a^2$

So,

$$a \times a = 84.64$$

$$a^2 = 84.64$$

$$a = \sqrt{84.64}$$

The required number is found out by using long division method.

$$\begin{array}{r}
 9 \ .2 \\
 9 \overline{) 84 \ .64} \\
 \underline{81} \quad \vdots \\
 182 \quad 3 \ 64 \\
 \underline{182} \quad 3 \ 64 \\
 \quad \quad \quad 0
 \end{array}$$

Then,

$$a = \sqrt{84.64}$$

$$a = 9.2$$

$\therefore$  9.2 is the decimal fraction is multiplied by itself and its product is 84.64.

**113. A farmer wants to plough his square field of side 150m. How much area will he have to plough?**

**Solution:-**

From the question it is given that,  
Length of the side of square field = 150 m

We know that, area of square = side  $\times$  side

So,

$$\begin{aligned}
 \text{Area of the square field} &= 150 \times 150 \\
 &= 22,500 \text{ m}^2
 \end{aligned}$$

$\therefore$  The farmer have to plough 22,500 m<sup>2</sup> area.

**114. What will be the number of unit squares on each side of a square graph paper if the total number of unit squares is 256?**

**Solution:-**

From the question it is given that,

The total number of unit squares is = 256.

Let us assume the number be 'a'

We know that,  $a \times a = a^2$

So,

$$a \times a = 256$$

$$a^2 = 256$$

$$\begin{array}{r}
 16 \\
 \sqrt{256} \\
 \underline{1} \phantom{6} \\
 26 \phantom{6} \\
 \underline{1} \phantom{6} \\
 156 \\
 \underline{1} \phantom{6} \\
 156 \\
 \underline{\phantom{1} \phantom{6}} \\
 0
 \end{array}$$

$$a = \sqrt{256}$$

$$a = \sqrt{(16 \times 16)}$$

$$a = \sqrt{16^2}$$

$$a = 16$$

∴ The number of unit squares are 16.

**115. If one side of a cube is 15m in length, find its volume.**

**Solution:-**

From the question it is given that,


Length of one side of the a cube = 15 m

$$\begin{aligned}
 \text{We know that, volume of cube} &= (\text{side})^3 \\
 &= 15^3 \\
 &= 15 \times 15 \times 15 \\
 &= 3375 \text{ m}^3
 \end{aligned}$$

∴ The volume of cube is 3375 m<sup>3</sup>.

**116. The dimensions of a rectangular field are 80m and 18m. Find the length of its diagonal.**

**Solution:-**



From the question it is given that,

Length of rectangular field = 80 m

Breadth of rectangular field = 18 m

Then,

$$\begin{aligned}
 \text{Length of diagonal} &= \sqrt{(\text{length}^2 + \text{breadth}^2)} \\
 &= \sqrt{(80^2 + 18^2)}
 \end{aligned}$$

$$\begin{aligned} &= \sqrt{6400 + 324} \\ &= \sqrt{6724} \\ &= 82 \text{ m} \end{aligned}$$

∴ The Length of diagonal is 82 m.

**117. Find the area of a square field if its perimeter is 96m.**

**Solution:-**

Given, perimeter of the square field = 96 m

We know that, perimeter of square =  $4 \times \text{side}$

Then,

$$96 = 4 \times \text{side}$$

$$\text{Side} = 96/4$$

$$\text{Side} = 24 \text{ m}$$

So, the length of the side of square = 24 m

Now,

$$\begin{aligned} \text{Area of the square field} &= (\text{side})^2 \\ &= 24^2 \\ &= 576 \text{ m}^2 \end{aligned}$$

∴ The area of the square field is  $576 \text{ m}^2$ .

**118. Find the length of each side of a cube if its volume is  $512 \text{ cm}^3$ .**

**Solution:-**

From the question it is given that,

Volume of the cube =  $512 \text{ cm}^3$

We know that,

Volume of cube =  $\text{side}^3$

$$512 = \text{side}^3$$

By taking cube root on both the side,

$$\sqrt[3]{512} = \text{side}$$

$$\text{Side} = \sqrt[3]{(8 \times 8 \times 8)}$$

$$\text{Side} = \sqrt[3]{(8)^3}$$

$$\text{Side} = 8 \text{ cm}$$

∴ The length of each side of a cube is 8 cm.

**119. Three numbers are in the ratio 1:2:3 and the sum of their cubes is 4500. Find the numbers.**

**Solution:-**

Let us assume the three number be  $a$ ,  $2a$ ,  $3a$

Then,

Given, sum of cube of three numbers is 4500

$$\text{i.e. } a^3 + (2a)^3 + (3a)^3 = 4500$$

$$a^3 + 8a^3 + 27a^3 = 4500$$

$$36a^3 = 4500$$

$$a^3 = 4500/36$$

$$a^3 = 125$$

$$a = \sqrt[3]{125}$$

$$a = \sqrt[3]{(5 \times 5 \times 5)}$$

$$a = \sqrt[3]{(5^3)}$$

$$a = 5$$

∴ The numbers are,  $a = 5$

$$2a = 2 \times 5 = 10$$

$$3a = 3 \times 5 = 15$$

**120. How many square metres of carpet will be required for a square room of side 6.5m to be carpeted.**

**Solution:-**

Given, side of square room = 6.5 m

$$\begin{aligned} \text{So, area of square room} &= 6.5^2 \\ &= 6.5 \times 6.5 \\ &= 42.25 \text{ m}^2 \end{aligned}$$

**121. Find the side of a square whose area is equal to the area of a rectangle with sides 6.4m and 2.5m.**

**Solution:-**

From the question it is given that,

Length of rectangle = 6.4 m

Breadth of rectangle = 2.5 m

$$\begin{aligned} \text{Area of rectangle} &= \text{length} \times \text{breadth} \\ &= 6.4 \times 2.5 \\ &= 16 \text{ m}^2 \end{aligned}$$

And also it's given in the question i.e. area of square is equal to the area of rectangle.

Let us assume area of square be 'a'.

Area of square = Area of rectangle

$$a \times a = 16$$

$$a^2 = 16$$

By taking square root on both side

$$a = \sqrt{16}$$

$$a = \sqrt{(4 \times 4)}$$

$$a = \sqrt{4^2}$$

$$a = 4m^2$$

We know that, area of square = side<sup>2</sup>

$$4 = \text{side}^2$$

By taking square root on both side

$$\text{side} = \sqrt{4}$$

$$\text{side} = \sqrt{(2 \times 2)}$$

$$\text{side} = \sqrt{2^2}$$

$$\text{side} = 2m$$

**122. Difference of two perfect cubes is 189. If the cube root of the smaller of the two numbers is 3, find the cube root of the larger number.**

**Solution:-**

From the question it is given that,

Difference of two perfect cubes = 189

The cube root of the smaller of the two numbers = 3

So, cube of smaller number = 3<sup>3</sup>

$$= 3 \times 3 \times 3$$

$$= 27$$

Let us assume the cube root of larger number be a<sup>3</sup>

Then,

As per the condition given in the question,

$$a^3 - 27 = 189$$

$$a^3 = 189 + 27$$

$$a^3 = 216$$

By taking cube root on both side,

$$a = \sqrt[3]{216}$$

$$a = \sqrt[3]{(6 \times 6 \times 6)}$$

$$a = \sqrt[3]{(6^3)}$$

$$a = 6$$

∴ The cube root of the larger number is 6.

**123. Find the number of plants in each row if 1024 plants are arranged so that number of plants in a row is the same as the number of rows.**

**Solution:-**

From the question it is given that total number of plants arranged = 1024

Let us assume number of plants in each row be 'a'

As per the condition given in the question,

Number of plants in a row is the same as the number of rows i.e. 'a'

Then,

Total number of plants =  $a \times a$

$$1024 = a^2$$

By taking square root on both side,

$$a = \sqrt{1024}$$

$$a = \sqrt{32 \times 32}$$

$$a = \sqrt{32^2}$$

$$a = 32$$

∴ The number of plants in each row is 32.

**124. A hall has a capacity of 2704 seats. If the number of rows is equal to the number of seats in each row, then find the number of seats in each row.**

**Solution:-**

From the question it is given that total number of seats = 2704

Let us assume number of seats in each row be 'a'

As per the condition given in the question,

Number of rows is equal to the number of seats in each row i.e. 'a'

Then,

Total number of seats =  $a \times a$

$$2704 = a^2$$

By taking square root on both side,

$$a = \sqrt{2704}$$

$$a = \sqrt{52 \times 52}$$

$$a = \sqrt{52^2}$$

$$a = 52$$


∴ The number of seats in each row is 52.

**125. A General wishes to draw up his 7500 soldiers in the form of a square. After arranging, he found out that some of them are left out. How many soldiers were left out?**

**Solution:-**

From the question it is given that total number of soldiers = 7500





From above the figure,  
Consider the triangle PQR.

We know that, Pythagoras theorem,

$$PR^2 = PQ^2 + QR^2$$

$$PR^2 = 12^2 + 35^2$$

$$PR^2 = 144 + 1225$$

$$PR^2 = 1369$$

$$PR = \sqrt{1369}$$


$$PR = 37\text{m}$$

∴ Rahul walked 37m distance for returning to his house.

**128. A 5.5m long ladder is leaned against a wall. The ladder reaches the wall to a height of 4.4m. Find the distance between the wall and the foot of the ladder.**

**Solution:-**

Let us consider the right angle triangle PQR



Given,

Long ladder i.e. RQ = 5.5 m

The ladder reaches the wall to a height i.e. PR = 4.4 m

From Pythagoras theorem,



Given, sum of squares of three numbers is 608

$$\text{i.e. } (2a)^2 + (3a)^2 + (5a)^2 = 608$$

$$4a^2 + 9a^2 + 25a^2 = 608$$

$$38a^2 = 608$$

$$a^2 = 608/38$$

$$a^2 = 16$$

$$a = \sqrt{16}$$

$$a = \sqrt{4 \times 4}$$

$$a = \sqrt{4^2}$$

$$a = 4$$

∴ The numbers are,  $2a = 2 \times 4 = 8$

$$3a = 3 \times 4 = 12$$

$$5a = 5 \times 4 = 20$$

**131. Find the smallest square number divisible by each one of the numbers 8, 9 and 10.**

**Solution:-**

First we have to find out the LCM of 8, 9 and 10

2	8, 9, 10
2	4, 9, 5
2	2, 9, 5
3	1, 9, 5
3	1, 3, 5
5	1, 1, 5
1	1, 1, 1

$$\text{So, LCM of 8, 9, and 10} = 2 \times 2 \times 2 \times 3 \times 3 \times 5 = 360$$

Now, grouping the factors,  $(2 \times 2) \times 2 \times (3 \times 3) \times 5$

i.e. 2 and 5 is not able to make their pair.

So, to make it perfect square, 360 must be multiplied with  $2 \times 5 = 10$

Then,

$$= 360 \times 10 = 3600$$

∴ 3600 is least square number which is exactly divisible by 8, 9, and 10.

**132. The area of a square plot is  $101\frac{1}{400} \text{m}^2$ . Find the length of one side of the plot.**

**Solution:-**

From the question it is given that,

$$\text{Area of a square plot} = 101\frac{1}{400} \text{m}^2 = 40401/400$$

We know that, area of square plot = side<sup>2</sup>

$$(40401/400) = \text{side}^2$$

By taking square root on both side,

$$\begin{aligned}\text{Side} &= \sqrt{(40401/400)} \\ &= \sqrt{((201 \times 201)/(20 \times 20))} \\ &= \sqrt{(201^2/20^2)} \\ &= 201/20 \\ &= 10\frac{1}{20}\text{m}\end{aligned}$$

∴ the length of one side of the plot is  $10\frac{1}{20}\text{m}$

**133. Find the square root of 324 by the method of repeated subtraction.**

**Solution:-**

From the question it is given that 324

Now, we subtract successive odd numbers starting from 1 as:

$$324 - 1 = 323$$

$$323 - 3 = 320$$

$$320 - 5 = 315$$

$$315 - 7 = 308$$

$$308 - 9 = 299$$

$$299 - 11 = 288$$

$$288 - 13 = 275$$

$$275 - 15 = 260$$

$$260 - 17 = 243$$

$$243 - 19 = 224$$

$$224 - 21 = 203$$

$$203 - 23 = 180$$

$$180 - 25 = 155$$

$$155 - 27 = 128$$

$$128 - 29 = 99$$

$$99 - 31 = 68$$

$$68 - 33 = 35$$

$$35 - 35 = 0$$

Here we see 324 reduces to 0 after subtracting 18 odd numbers.

Therefore the square root of 324 is 18.

**134. Three numbers are in the ratio 2:3:4. The sum of their cubes is 0.334125. Find the**

numbers.

**Solution:-**

Let us assume the three number be  $2a$ ,  $3a$ ,  $4a$

Then,

Given, sum of cube of three numbers is  $0.334125$

$$\text{i.e. } (2a)^3 + (3a)^3 + (4a)^3 = 0.334125$$

$$8a^3 + 27a^3 + 64a^3 = 0.334125$$

$$99a^3 = 0.334125$$

$$a^3 = 0.334125/99$$

$$a^3 = 0.003375$$

$$a^3 = 3375/1000000$$

$$a = \sqrt[3]{(3375/1000000)}$$

$$a = \sqrt[3]{((15 \times 15 \times 15)/(10 \times 10 \times 10 \times 10 \times 10 \times 10))}$$

$$a = \sqrt[3]{(15^3/10^6)}$$

$$a = 15/1000$$

$$a = 0.015$$

$\therefore$  The numbers are,  $2a = 2 \times 0.015 = 0.03$

$$3a = 3 \times 0.015 = 0.045$$

$$4a = 4 \times 0.015 = 0.06$$

**135. Evaluate:  $\sqrt[3]{27} + \sqrt[3]{0.008} + \sqrt[3]{0.064}$**

**Solution:-**

$$= \sqrt[3]{27} + \sqrt[3]{0.008} + \sqrt[3]{0.064}$$

$$= \sqrt[3]{(3 \times 3 \times 3)} + (\sqrt[3]{(8/1000)}) + \sqrt[3]{(64/1000)}$$

$$= \sqrt[3]{(3^3)} + (\sqrt[3]{(2 \times 2 \times 2)/(10 \times 10 \times 10)}) + \sqrt[3]{((4 \times 4 \times 4)/(10 \times 10 \times 10))}$$

$$= 3 + (\sqrt[3]{(2^3/10^3)}) + \sqrt[3]{(4^3/10^3)}$$

$$= 3 + (2/10) + (4/10)$$

$$= 3 + 0.2 + 0.4$$

$$= 3.6$$

**136.  $\{(5^2 + (12^2)^{1/2})\}^3$**

**Solution:-**

$$\text{Given, } \{(5^2 + (12^2)^{1/2})\}^3$$

$$= \{(25 + (144)^{1/2})\}^3$$

$$= \{(25 + (12))\}^3$$

$$= \{37\}^3$$

$$= 37 \times 37 \times 37$$

$$= 50,653$$

**137.  $\{(6^2 + (8^2)^{1/2})\}^3$**

**Solution:-**


$$\begin{aligned} \text{Given, } & \{(6^2 + (8^2)^{1/2})\}^3 \\ & = \{(36 + (64)^{1/2})\}^3 \\ & = \{(36 + (8))\}^3 \\ & = \{44\}^3 \\ & = 44 \times 44 \times 44 \\ & = 85,184 \end{aligned}$$

**138. A perfect square number has four digits, none of which is zero. The digits from left to right have values that are: even, even, odd, even. Find the number.**

**Solution:-**

Let us assume PQRS is perfect square,  
Where, P = even, Q = even, R = odd, S = even  
So, 8836 is the perfect square.

**139. Put three different numbers in the circles so that when you add the numbers at the end of each line you always get a perfect square.**




**Solution:-**

6, 19 and 30 are the three numbers in which, when we add the end of each line we always get a perfect square.

$$6 + 19 = 25$$

$$6 + 30 = 36$$

$$19 + 30 = 49$$



**140. The perimeters of two squares are 40 and 96 metres respectively. Find the perimeter of another square equal in area to the sum of the first two squares.**

**Solution:-**

From the question it is given that,

Perimeters of first squares = 40m

Perimeter of second square = 96m

Let us assume side of first square =  $x_1$

and assume side of second square =  $x_2$

WKT, perimeter of first square =  $4 \times \text{side}$

$$40 = 4x_1$$

$$x_1 = 40/4$$

$$x_1 = 10 \text{ m}$$

Then,

Perimeter of second square =  $4 \times \text{side}$

$$96 = 4x_2$$

$$x_2 = 96/4$$

$$x_2 = 24 \text{ m}$$

As per the condition given in the question area of another square is equal to the first two squares.

Let us assume  $y^2$  be the area of another square.

So,

$$y^2 = x_1^2 + x_2^2$$

$$y^2 = 10^2 + 24^2$$

$$y^2 = 100 + 576$$

$$y = \sqrt{676}$$

$$y = 26 \text{ m}$$

Then,

Perimeter of another square =  $4 \times \text{side}$

$$= 4 \times y$$

$$= 4 \times 26$$

$$= 104 \text{ m}$$

**141. A three digit perfect square is such that if it is viewed upside down, the number seen is also a perfect square. What is the number?**

**(Hint: The digits 1, 0 and 8 stay the same when viewed upside down, whereas 9 becomes 6 and 6 becomes 9.)**

**Solution:-**

A three digit perfect square is such that if it is viewed upside down are 196 and 961.

**142. 13 and 31 is a strange pair of numbers such that their squares 169 and 961 are also mirror images of each other. Can you find two other such pairs?**

**Solution:-**

First pair is 12 and 21

Squares of numbers,  $12^2 = 144$  and  $21^2 = 441$

Second pair is 102 and 201

Squares of numbers,  $102^2 = 10404$  and  $201^2 = 40401$



**Myclass24**  
Your Class. Your Pace.