EXERCISE 27B

Solve, graphically, the following pairs of equations:
(i) x - 5 = 0
y + 4 = 0

Solution:
(i) Given x - 5 = 0
y + 4 = 0
given equations can be written as
x – 5 = 0
x = 5
y + 4 = 0
y = -4

the graph of following equations given below



(ii) 2x + y = 23
4x – y = 19
Solution:
Given 2x + y = 23
y = 23 – 2x
the points table for y = 23 – 2x

X	5	10	15
Y	13	3	-7

Also we have
4x – y = 19
y = 4x – 19
the points table for y = 4x – 19

X	3	4	6
Y	-7	-3	5

Plotting these points, we get the required graph



By seeing the graph, we can conclude that given two lines intersect at (7, 9)

(iii) 3x + 7y = 27
8 – y = 5/2 x

Solution:
Given 3x + 7y = 27
3x = 27 – 7y
x = (27 – 7y)/3

the table for 3x + 7y = 27 is

x	9	2	-5
y	0	3	6

Also we have
8 – y = 5/2 x
x = (8 – y)2/5
the table for 5x + 2y = 16 is

x	2	4	0
y	3	-2	8

Plotting the points, we get the following required graph:



Intersection point = (2, 3)

(iv) (x + 1)/4 = 2/3 (1 – 2y)
(2 + 5y)/3 = x/7 – 2

Solution:

$(x + 1)/4 = 2/3 (1 – 2y)$

$(x + 1)/4 = 2/3 – 4y/3$

Multiply above equation on both sides we get

$12 \times (x + 1)/4 = 12 \times 2/3 – 12 \times (4y/3)$

$3 (x + 1) = 8 – 16y$

$3x + 3 = 8 – 16y$

$3x – 5 = - 16y$

$x = (5 – 16y)/3$

the table for $(x + 1)/4 = 2/3)1 – 2y)$ is

X	7	-9	23
Y	-1	2	-4

Also we have

$(2 + 5y)/3 = x/7 – 2$

Multiply both sides by 21 we get

$21 \times (2 + 5y)/3 = 21 \times x/7 – 21 \times 2$

$7(2 + 5y) = 3x – 42$

$14 + 35y = 3x – 42$

$3x = 14 + 35 y + 42$

$3x = 56 + 35y$

$X = (56 + 53y)/3$

The table for $(2 + 5y)/3 = x/7 – 2$

X	7	-28	42
Y	-1	-4	2

Plotting the points, we get the following required graph:



Intersection point = (7, -1)

2. Solve graphically the simultaneous equations given below. Take the scale as 2 cm = 1 unit on both the axes.
x - 2y - 4 = 0
2x + y = 3

Solution:
Given x - 2y - 4 = 0
2x + y = 3
The table for x – 2y – 4 = 0 is

X	4	6	2
Y	0	1	-1

Also we have
2x + y = 3
2x = 3 – y
x = (3 – y)/2
the table for 2x + y = 3 is

X	1	0	2
Y	1	3	-1

Plotting the above points we get the following graph



Intersection point = (2, -1)

3. Use graph paper for this question. Draw the graph of 2x - y - 1 = 0 and 2x + y = 9 on the same axes. Use 2 cm = 1 unit on both axes and plot only 3 points per line. Write down the co-ordinates of the point of intersection of the two lines.

Solution:

Given 2x – y – 1 = 0

2x = y + 1

X = (y + 1)/2

The table for 2x – y – 1 = 0 is

X	2	1	0
Y	3	1	-1

Also we have

2x + y = 9

2x = 9 – y

x = (9 – y)/2

the table for 2x + y = 9 is

X	4	3	5
Y	1	3	-1

Plotting the above points we get,



Intersection point = (2.5, 4)

4. Use graph paper for this question. Take 2 cm = 2 units on x-axis and 2 cm = 1 unit on y-axis. Solve graphically the following equations:
3x + 5y = 12; 3x - 5y + 18 = 0
(Plot only three points per line)

Solution:
Given 3x + 5y = 12
3x = 12 – 5y
x = (12 – 5y)/3
the table for 3x + 5y = 12 is

X	4	-1	-6
Y	0	3	-1

Also we have
3x – 5y + 18 = 0
3x = 5y – 18
x = (5y – 18)/3
the table for 3x – 5y + 18 = 0 is

X	-6	4	-1
Y	0	6	3

Plotting the above points we get required graph:



Intersection point (-1, 3)

5. Use graph paper for this question. Take 2 cm = 1 unit on both the axes.
(i) Draw the graphs of x + y + 3 = 0 and 3x - 2y + 4 = O. Plot only three points per line.
(ii) Write down the co-ordinates of the point of intersection of the lines.
(iii) Measure and record the distance of the point of intersection of the lines from the origin in cm.

Solution:
(i) Given x + y + 3 = 0
x = -3 – y
the table for x + y + 3 = 0 is

X	1	0	-2
Y	-4	-3	-1

Also we have
3x – 2y + 4 = 0
3x = 2y – 4
x = (2y – 4)/3
the table for 3x – 2y + 4 = 0 is

X	0	-2	-2/3
Y	2	-1	1

Plotting the above points we get the requires graph



(ii) intersection points = (-2, -1)

(iii) Now applying Pythagoras theorem,
The distance from the origin = √[(-2 – 0)^2 + (-1 = 0)^2]
= √(2^2 + 1^2)
= √(4 + 1)
= √5
= 2. 2 cm (approximately)

6. The sides of a triangle are given by the equations y - 2 = 0; y + 1 = 3 (x - 2) and x + 2y = O. Find, graphically:
(i) the area of triangle;
(ii) the co-ordinates of the vertices of the triangle.

Solution:
Given y – 2 = 0
y = 2
y + 1 = 3 (x – 2)
y = 3x – 6 – 1
y = 3x – 7
the table for y + 1 = 3(x – 2) is

X	1	2	3
Y	-4	-1	2

Also we have
x + 2y = 0
x = -2y
the table for x + 2y = 0 is

X	-4	4	-6
Y	2	-2	3

Plotting the above points we get the required graph



The area of triangle ABC = ½ × AB × CD
= ½ × 7 × 3
= 21/2
= 10. 5 sq. units

(ii) The coordinates of the vertices of the triangle are (-4, 2), (3. 2) and (2, -1)

7. By drawing a graph for each of the equations 3x + y + 5 = 0; 3y - x = 5 and 2x + 5y = 1 on the same graph paper; show that the lines given by these equations are concurrent (i.e. they pass through the same point). Take 2 cm = 1 unit on both the axes.

Solution:
Given 3x + y + 5 = 0
y = -3x – 5
the table of 3x + y + 5 = 0 is

X	1	-3	-2
Y	-8	4	1

3y – x = 5
x = 3y – 5
the table of 3y – x = 5 is

X	-2	1	7
Y	1	2	4

2x + 5y = 1
2x = 1 – 5y
x = (1 – 5y)/2
the table of 2x + 5y = 1 is

X	3	-7	-2
Y	-1	3	1

Plotting the above points, we get the required graph

Hence,
According to the graph the lines of the graphs are concurrent.

8. Using a scale of 1 cm to 1 unit for both the axes, draw the graphs of the following equations: 6y = 5x + 10, y = 5x - 15.
From the graph find:
(i) the co-ordinates of the point where the two lines intersect;
(ii) the area of the triangle between the lines and the x-axis.

Solution:

Given 6y = 5x + 10

y = (5x + 10)/6

the table for 6y = 5x + 10 is

X	4	-2	-8
Y	5	0	-5

Also we have

Y = 5x – 15

The table of y = 5x – 15 is

X	3	4	5
Y	0	5	10

Plotting the given points we get the required graph



(i) The two lines intersect at (4. 5)

Therefore AD parallel to BC

Hence AD = 5 units

And BC = 5 units

(ii) The area of triangle = ½ × BC × AD

= ½ × 5 × 5

= 25/2
= 12.5 Sq. units

9. The cost of manufacturing x articles is Rs.(50 + 3x). The selling price of x articles is Rs.4x. On a graph sheet, with the same axes, and taking suitable scales draw two graphs, first for the cost of manufacturing against no. of articles and the second for the selling price against number of articles. Use your graph to determine:
(i) No. of articles to be manufactured and sold to break even (no profit and no loss),
(ii) The profit or loss made when
(a) 30
(b) 60 articles are manufactured and sold

Solution:
Given that CP is 50 + x
Table of CP

x	0	10	20	30	40	50	60
CP	50	80	110	140	170	200	230

And SP = 4x
The table of SP

x	0	10	20	30	40	50	60
SP	0	40	80	120	160	200	240

Now plotting these points on the graph we get



(i) No. of articles to be manufactured and sold are 50 when there is no loss and no profit.
C.P = S.P = Rs.200

(ii)(a) On article 30,
C.P = Rs.140 and S.P. = 120
Therefore Loss = 140 - 120 = Rs.20

(b) On article 60,
C.P.=Rs.230 and S.P.= Rs.240
Therefore Profit = 240 - 230 = Rs.10

10. Find graphically, the vertices of the triangle whose sides have the equations 2y - x = 8; 5y - x = 14 and y - 2x = 1 respectively. Take 1 cm = 1 unit on both the axes.

Solution:
Given 2y – x = 8
y = (8 + x)/2
the table of 2y – x = 8 is

X	-6	-2	0
Y	1	3	4

5y – x = 14

x = 5y – 14
the table of x = 5y – 14 is

X	-9	-4	1
Y	1	2	3

y – 2x = 1
y = 1 + 2x
the table of y – 2x = 1 is

X	2	-2	0
Y	5	-3	1

Now plotting these points we get required graph

s



The coordinates of the vertices of the triangle = A (-4, 2), B (1, 3) and C (2, 5)