

**1. Solve the following equations:**

**(i)  $2(3 - 2x) = 13$**

**(ii)  $(\frac{3}{5})y - 2 = (\frac{7}{10})$**

**Solution:**

(i) Given

$$2(3 - 2x) = 13$$

$$6 - 4x = 13$$

Transposing 6 to R.H.S. we get,

$$-4x = 13 - 6$$

$$-4x = 7$$

We get,

$$x = (\frac{7}{-4})$$

$$x = (-\frac{7}{4})$$

(ii)  $(\frac{3}{5})y - 2 = (\frac{7}{10})$

Multiplying both sides by 5, we get,

$$3y - 10 = (\frac{7}{10}) \times 5$$

$$3y - 10 = (\frac{7}{2})$$

Transposing -10 to R.H.S. we get,

$$3y = (\frac{7}{2}) + 10$$

On taking L.C.M. we get,

$$3y = \{(\frac{7}{2}) + \frac{20}{2}\}$$

$$3y = (\frac{27}{2})$$

$$y = \{(\frac{27}{2}) \div (2 \times 3)\}$$

We get,

$$y = (\frac{9}{2})$$

$$y = 4\frac{1}{2}$$

**2.**

**(i)  $(\frac{x}{2}) = 5 + (\frac{x}{3})$**

**(ii)  $2\{x - (\frac{3}{2})\} = 11$**

**Solution:**

(i)  $(\frac{x}{2}) = 5 + (\frac{x}{3})$

On multiplying both sides by 6, we get,

$$6 \times (\frac{x}{2}) = 6 \{5 + (\frac{x}{3})\}$$

$$3x = 30 + 2x$$

Transposing 2x to L.H.S. we get,

$$3x - 2x = 30$$

We get,  
 $x = 30$

(ii)  $2 \{x - (3 / 2)\} = 11$

$$2x - 3 = 11$$

Transposing -3 to R.H.S. we get,

$$2x = 11 + 3$$

$$2x = 14$$

We get,

$$x = (14 / 2)$$

$$x = 7$$

**3.**

(i)  $7(x - 2) = 2(2x - 4)$

(ii)  $21 - 3(x - 7) = x + 20$

**Solution:**

(i)  $7(x - 2) = 2(2x - 4)$

$$7x - 14 = 4x - 8$$

On transposing  $4x$  to L.H.S. and  $-14$  to R.H.S. we get,

$$7x - 4x = -8 + 14$$

$$3x = 6$$

$$x = (6 / 3)$$

$$x = 2$$

(ii)  $21 - 3(x - 7) = x + 20$

$$21 - 3x + 21 = x + 20$$

On further calculation, we get,

$$42 - 3x = x + 20$$

On transposing  $x$  to L.H.S. and  $42$  to R.H.S. we get,

$$-3x - x = 20 - 42$$

$$-4x = -22$$

$$x = (22 / 4)$$

We get,

$$x = (11 / 2)$$

$$x = 5\frac{1}{2}$$

**4. If 7 is added to five times a number, the result is 57. Find the number.**

**Solution:**

Let the required number be  $x$

Five times of this number =  $5x$

If 7 is added, then the number becomes =  $7 + 5x$

As per the given condition,

$$7 + 5x = 57$$

$$5x = 57 - 7$$

$$5x = 50$$

$$x = (50 / 5)$$

We get,

$$x = 10$$

Therefore, the required number = 10

**5. Find a number, such that one-fourth of the number is 3 more than 7.**

**Solution:**

Let the required number =  $x$

According to the condition,

$$(1 / 4) x - 3 = 7$$

Transposing -3 to R.H.S. we get,

$$(1 / 4) x = 7 + 3$$

$$(1 / 4) x = 10$$

$$x = 10 \times 4$$

We get,

$$x = 40$$

Therefore, the required number is 40

**6. If the replacement set is  $(-5, -3, -1, 0, 1, 3, 4)$ , find the solution set of:**

**(i)  $x < -2$**

**(ii)  $x > 1$**

**(iii)  $x \geq -1$**

**(iv)  $-5 < x < 3$**

**(v)  $-3 \leq x < 4$**

**(vi)  $0 \leq x < 7$**

**Solution:**

Given

Replacement set =  $\{-5, -3, -1, 0, 1, 3, 4\}$

(i) The solution set of  $x < -2 = \{-5, -3\}$

(ii) The solution set of  $x > 1 = \{3, 4\}$

(iii) The solution set of  $x \geq -1 = \{-1, 0, 1, 3, 4\}$

(iv) The solution set of  $-5 < x < 3 = \{-3, -1, 0, 1\}$

(v) The solution set of  $-3 \leq x < 4 = \{-3, -1, 0, 1, 3\}$

(vi) The solution set of  $0 \leq x < 7 = \{0, 1, 3, 4\}$

**7. Represent the following inequations graphically:**

(i)  $x \leq 3, x \in \mathbb{N}$

(ii)  $x < 4, x \in \mathbb{W}$

(iii)  $-2 \leq x < 4, x \in \mathbb{I}$

(iv)  $-3 \leq x \leq 2, x \in \mathbb{I}$

**Solution:**

Given

$x \leq 3, x \in \mathbb{N}$

Therefore,

The solution set =  $\{1, 2, 3\}$

The solution set is shown by thick dots on the number line below



(ii)  $x < 4, x \in \mathbb{W}$

Therefore,

The solution set =  $\{0, 1, 2, 3\}$

The solution set is shown by thick dots on the number line below



(iii)  $-2 \leq x < 4, x \in \mathbb{I}$

Therefore,

The solution set =  $\{-2, -1, 0, 1, 2, 3\}$

The solution set is shown by thick dots on the number line below




(iv)  $-3 \leq x \leq 2, x \in \mathbb{I}$

Therefore,

The solution set =  $\{-3, -2, -1, 0, 1, 2\}$

The solution set is shown by thick dots on the number line below



**Myclass24**  
Your Class. Your Pace.